



fol 8856/2

~~Die in der...~~
~~...~~
~~...~~

1813.

343/2

F. 559

N. XIV

18/W

Gilhofer + R = 2.18
450 Surf.
(4 vols)
8 Aug 28

53479
F55

PHYTANTHOZA ICONOGRAPHIA,

Sive



onspetus

Aliquot millium,
tam Indigenarum quam Exoticarum, ex quatuor mundi
partibus, longâ annorum serie indefessoque studio,

à

JOANNE GUILIELMO WEINMANNO,

Dicafterii Ratisbonensis Assessore & Pharmacopola Seniore
collectarum

**Plantarum, Arborum, Fruticum, Florum
Fructuum, Fungorum. &c.**

Quæ

Nitidissime æri incisæ & simul diu desiderata ac recens inventa arte, vivis colori-
bus & iconibus, naturæ æmulis, excusæ & repræsentatæ

Per

**BARTHOLOMÆUM SEUTERUM, JOANNEM ELIAM RI-
DINGERUM ET JOANNEM JACOBUM HAIDIUM**

Pictores & Chalcographos Augustanos.

Quorum

Denominationes, Characteres, Genera, Species & Descriptiones
ex optimis, tam priscis quam neotericis Auctoribus, ordine ac serie Alphabe-
tica, cum probatissimo usu Medico, Pharmaceutico, Chirurgico ac Oeco-
nomico, latino & Germanico idiomate

sincere explicantur

à

D. JOANNE GEORGIO NICOLAO DIETERICO,

Sacræ Cæsareæ ac Regiæ Catholicæ Majest. Consiliario, Serenissimi
Principis de Furstenberg - Stülingen Medico ordinario ac Reipublicæ
Ratisbonensis Physico.

Vol. I. A. B.

Apud prænominatos Pict. & Chalcogr. Augustæ venum prostat, quorum
sumtibus imprimebatur

RATISBONÆ

per Hieronymum Lenzium, M DCC XXXVII.

Per Hieronymum Lensium, M DCC XXXVII

R A T I S B O N A

Apud praenominatos Pib. & Chalcogr. Augustae venum prostat, quorum

Vol. I. A. B.

Ratisbonensis Physico.
Principis de Jurensberg - Stillingen Medico ordinario ac Reipublicae
Sacre Caesareae ac Regiae Catholicae Majest. Consiliario, Serenissimi
D. JOHANNES GEORGIO NICOLAO DIETRICO.

hincere explicavit

nomine, latino & Germanico identitate
tica, cum probatissimo usui Medico, Pharmaceutico, Chirurgico ac Occo-
ex optimis, tam praeclaris quam notoriciis Auctoribus, ordine ac serie Alphabeti
Denominationes, Characteres, Genera, Species & Descriptiones
Quorum

Pictores & Chalcographos Augustanos.

DINGERUM ET JOHANNEM JACOBUM HALDUM

BARTHOLOMAEUM SEUTHERUM, JOHANNEM ELIAM RI-

Per

bus & iconibus, naturae remissis, exactis & representatis
Nihilominus verissime & summi diu deliberata ac recens inventa arte, vivis coloris

Quae

Fructuum, Fungorum, &c.
Plantarum, Arborum, Fructuum, Florum

collectarum
Dicalitii Ratisbonensis Auctore & Pharmacopola Seniore

JOHANNES GUILLIELMO WEINMANNIO

2

partibus, longe annorum serie indefectus studio,
tam indigenarum quam Exoticarum, ex quatuor mundi

Aliphae nallum

ontpectus

Sive

ICONOGRAPHIA

PHYTANTHOSA





IOANNES GUILIELMUS WEINMANNUS
 Dicasterij Ratisbonensis Alsessor et Pharmacopola Senior,
 natus Gardelegiae MDCLXXXIII. d. XIII. Mart. aetat. LIV.

*Sis tenuis Florae Sortis Frater Optime Vindex,
 Gloria florebit non moritura Tibi.*

*Sc.
 Paulus Weinmannus, Minister Eccl. Ratisbon.*

THE UNIVERSITY OF CHICAGO
LIBRARY
1100 EAST 58TH STREET
CHICAGO, ILL. 60637
U.S.A.




a. Abies major. Sapin. Tannenbaum.
b. Abies foliis minoribus. Dielen-baum.
c. Abies Taxi folio. Tax Tannen.



a. Abies Foemina. Sapin Femelle. Sichel Weibler.
b. Abies Vulgaris. Sapin sauvage. Gemeine Tanne.
c. Abies Picea mas. Mastbaum.



a. *Abies rubra major*. Grosze rothe Tanne.
 b. *Abies sylvestris* seu *Pinaster*. Grosz Fichten-baum.



a. Abrotanum mas angustifolius.
b. Abrotanum mas. Aurone.
c. Abrotanum Foemina folius collectis.
d. Abrotanum foemina folio Rorismarini.

Jarfrum
 Garderobe.
 Stabwurz.
 Jarfe Cypressen.
 Jersel mit Kohnarien Blättern.



a. Abrotanum foemina foliis teretibus. Stabwurzweiblein.
b. Abrotanum foeminae Ericae foliis flore albo.
 Abertuise mit Händekletter.



a. Gartnierz mit Rosmarien blättern.
a. Abrotanum Lusitanicum Rosmarini folio majus.
b. Abrotanum Lusitanicum alterum.



a. Absinthium vulgare. Absinthe. Vermuth.
b. Absinthium Chamomæli Capitulis.
c. Absinthium umbelliferum.



a. *Absinthium longifolium Pentaphyllum*.
 b. *Absinthium Scirpium*. Absynthe marin. Französische Wermuth.



a. *Absinthium Ponticum*.

b. *Absinthium latifolium*.

c. *Absinthium Lavendulae folio*.

d. *Absinthium tenuifolium*.

Wermuth.
Alvine Romane. Römisch.

Breitblättrichter Wermuth.

Wermuth mit Lavendelblätter.

Alvine de Narbon. Starbo-
mischer Wermuth.



a. *Acacia seu Prunus Sylvestris*. Prunier Sauvage. Schlehen-Dorn.
 b. *Acacia Germanica*.
 c. *Acacia Egyptiaca Vera*. Aegyptischer Schotendorn.





a. *Acacia rotundifolia spinosissima*
b. *Acacia Americana Cornigera*.



a. *Acanthus mollis*, Acanthe, Weich Bärenklau.

b. *Acanthus aculeatus*, Acante Epineuse, Stachelige Bärenklauen.



a. *Acarina Theophrasti.*
 b. *Acer Campestre minus.* Erable. Ashorn.



a. *Acer monianum* Can-
didum, Opier, Mäſcholder.
b. *Acer* ſeu *Platanus*, Syco-
more, Alhornbaum.



a. Acer fo- liis verrucosis.
b. Acer fo- liis Platani. Leinbaum.
c. Acer montanum Crispum.



Acer Platanoides peregrinum.



a. *Acetosa Pratensis*. Saliette. Sauer-ampfer.
 b. *Acetosa hispanica foliis longissimis*. Sur elle. Grosser Sauerampfer.



a. *Acetosa rotundifolia hortensis*. Oseille ronde. Garsenampfer.
 b. *Acetosa vesicaria Americana*.
 c. *Acetosa arborescens*. Staudischer-Ampfer.
 d. *Acetosa arborescens foliis pictis*.



a. *Acetosa* Oxy^{mi} folia.
 b. *Acetosa* an^{nua} Africana.
 c. *Acetosa* an^{nua} Italica.
 d. *Acetosa* aroen^{sis} lanceolata. Petite Oseille.
 e. *Acetosa* non lanceolata. Oseille Sauvage. Sper^{ampfer}.
 f. *Acetosella* flore albo. Pain de Cocu. Sauer^{klee}.
 g. *Acetosella* foliis pictis.



a. *Acetosella hirsuta*. Allehuja. Dürchornpfer.
 b. *Acetosella sylvestris* flore rubro. Scatterflee mit rothen Blumen.
 c. *Acetosella siliquosa* flore luteo. Schöffelcher Scatterflee.
 d. *Aconitum Caruleum* seu Napellus. Aconit. Eisenhüttelein.



a. *Aconitum Caruleum* majus.
 b. *Aconitum Salutiferum* seu *Anthora*. Antholle. Jiffheil.



a. Aconitum lycoctonon luteum. Wolffmirey.
b. Aconitum Lycoctonon humilius foliis durioribus floribus pal-
lidis.





a. *Acorutum foliis Cyclaminis.*
 b. *Acorus seu Calamus. Acore. Ackermüsch.*



- a. *Adiantum album* seu *ruta maritima*. *Adiantum folio filicis*.
 b. *Adiantum nigrum* seu *capillus veneris*. *Capillaire*. *Venus-Saar*.
 c. *Adiantum album* seu *ruta maritima*. *Adiantum blanc*. *Mauve-Kraut*.
 d. *Adiantum rubrum* seu *Trichomanes*. *Polytricien*. *Wiederfod*.
 e. *Adiantum album* foliis in oblongum scissis.
 f. *Adiantum aureum minus*. *Feldent-Wiederfod*.
 g. *Adiantum aureum minimum*. *Wiedethon*.



a. Adiantum aureum majus. Perce Mousse. Goldgelb Fraiße. Saar.
b. Adonis hortensis minor. Corallen-Blümlein.
c. Adonis hortensis major. Fleur d'Adonis. Adonis-Röslein.
d. Adonis sylvestris flore Phoeniceo.
e. Adonis sylvestris flore minore rubro. Braiße-Mägdlein.
f. Adonis sylvestris flore majore rubro. Margariten = Blüm.





a. *Ageratum ferulaceum*.
 b. *Agrimonia flore albo*. Agermennig.
 c. *Agrimonia officinarum*. Agrimoine. Odermennig.



a. *Agrimonia major odorata*.
 Groß Leber-Balsam.

b. *Agnus castus*. Poudre
 sauvage. Krüsch-Samm.

c. *Agnus castus quinquefolius*.
 Petit-Poudre. Wilder-Pfeffer.



a. Alaternoi des Africana . f
 b. Alaternoi des Ericæ folio.
 c. Alaternus seu Phyllea. Alaterne.
 d. Alaternus aureus. Panache d'or.
 e. Alaternus argenteus. Blanc argente.
 f. Alaternus humilior.



Alcanna major latifolia. Froesne. Seinholtz.



a. *Alcea flore albo*. Weiße Felsris.
 b. *Alcea pentaphyllea alba*.
 c. *Alcea pentaphyllea flore albo pleno*.



a. *Alcea sylvestris rubra*.
 b. *Alcea sylvestris*: flore pallido. Mauve sauvage. Signars Kraut.
 c. *Alcea seu Rosa sinensis*. Sinesische Rose.



a. *Alcea fruticans*. Ständige = Pappelen.
 b. *Alcea hirsuta*.
 c. *Alcea arborescens* = *Alcea major*.



a. *Al- cea folio laciniato.*
 b. *Alcea vesicaria.* Better Rosen.
 c. *Alchimilla minima.*
 d. *Al- chimilla folium monstrosum.*



a. Alchimil.
 Alliaria folio majori. la officinarum. Pied de Leon. Simile.
 jori. Herbe des aulx. Knoblauchkraut.
 c. Alliaria folio subrotundo.



a. *Allium*
 pentain.
 b. *Allium pallu*
 c. *Allium Ca*
 d. *Allium*

Alpinum. Ail Ser =
Allerman. Harnisch.
stre. Wald. Knoblauch.
ninum. Hinds. Knoblauch.
sylvestre tenuifolium.



a. *Allium sativum*. Ail aulx. Knoblauch.
 b. *Allium campestre*.
 c. *Allium juncifolium luteum*.



a. *Alnus nigra baccifera*. Aulne. Säulbaum.
 b. *Alnus rotundifolia glutinosa*. Alno. Erlbaum.



Alnus folio oblongo. Aulne. Ellerbaum.



a. Aloë Mucronato folio Americana major.
 b. Aloë Muricata major foliis Pictis seu ex Luteo variegatis.



Aloë vera vulgaris.
Aloë hepaticque.

Leber Aloë.



Alöe Socoterina vera. Alöe succotrin. Socotrinische Alöe.



Aloe Africana, folio triangulo, longo, floribus ex luteo rubris, vulgo Iris uvaria.
Aloe Africana folio longissimo et angustissimo, vulgo Iris uvaria.



Aloe Africana caulescens foliis magis glaucis, caulem amplexantibus.



Aloe Africana Caulescens foliis glaucis caulem amplexantibus major.



*loe Africana Caulescens foliis glaucis caulem amplexantibus
dorso parte superiore spinosis.*



*Aloë Africana Caulescens, foliis glaucis caulem amplexantibus
dorso integro spinosis.*



Alöe Africana Caulescens folio Spinoso.



Aloe vera Costa spinosa.



Aloe tuberosa seu yucca gloriosa major.

14. *Epistola ad Romanos*



Aloe Americana tuberosa yuccae foliis.



a. *Aloe Africana margaritifera major*. Perlen-Aloe.
 b. *Aloe Africana margaritifera media*.



a. *Aloe Africana margaritifera minor.*
 b. *Aloe Africana humilis foliis maculatis.*



*Aloe Africana, folio latiore maculis et verrucis albicantibus ab utraque
parte notato flore rubro prima species.*

11

THE UNIVERSITY OF CHICAGO
LIBRARY



Aloe Africana maculata flore rubro secunda species.



*Aloe Africana folio in summitate triangulari verrucis al-
bis notatis.*



*Aloe Africana, montana arborescens non spinosa folio longissimo
plicatili flore rubro.*



Aloe Africana perfoliata glauca non spinosa



Aloe serrata major umbellifera.



Aloe Americana minor.



Aloe purpurea levis.



Aloe Ferox.



Aloe tuberosa levis.



Aloe Africana serrata flore rubro.



Aloe Africana serrata humilis folio ex albo et viridi variegato.



*Aloe Africana humilis folio ex albo et viridi variegato tur-
binata.*



Aloe vera

ra minor



Aloe Atucina spinis rubris ornata.



a. Aloe Americana Hyacinthi flore.
b. Aloe perfoliata non spinosa.
c. Aloe Africana erecta minor.

The above mentioned
to the
of the
of the



Aloe Africana foliis glaucis margine et dorsi parte superiore spinosis.
b. Aloe Arachnoidea humilis.
c. Aloe Africana brevissimo crassissimoque folio flore subviridi.

the system of printing and the system of printing
the system of printing and the system of printing
the system of printing and the system of printing



Aloe Ceylanica pumila foliis variegatis.

1845



Aloe Guineensis radice geniculata foliis è viridi et atro undu-
 latim variegatis.
 b. *Aloe Americana* levis.



a. *Alsine altissima*. Morone.
 b. *Alsine hirsuta* Ma = jor. geline.
 c. *Alsine arenaria* dicta. Sinter, Sib.
 d. *Alsine holostea* glabra. Sinter, Sib.
 e. *Alsine hirsuta* minor.
 f. *Alsine holostea* arvensis.
 g. *Alsine palustris* minor. Morone.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
U.S.A.



a. *Alsine nodosa media*.
 b. *Alsine tenuifolia muscosa*.
 c. *Alsine tomentosa*. Herbe patience. Jedüll Kräutlein.
 d. *Alsine hirsuta flore folioso seu abortiva*.
 e. *Alsine hirsuta flore monstroso viridi*.
 f. *Alsine Spergula dicta media*. Spierren.



a. *Alsine spergula dicta major.* Esparcette. Weißer Knöterich.
 b. *Alsine spergula dicta longiore folio.*
 c. *Alsine vera glabra.* Simerkraute.
 d. *Alsine latifolia minima.*
 e. *Alsine spergula dicta minor.*
 f. *Alsine nodosa minima.*
 g. *Alsine petraea folius gemelli.*

It is a very common mistake to suppose that the
theology of the Bible is a mere collection of
facts and figures, and that it is a science
which can be taught by the same methods
as the natural sciences. But the Bible is
not a book of facts and figures, but a
book of life. It is a book which
teaches us how to live, and how to
love God and our fellow men. It is a
book which gives us the principles of
right living, and which shows us the way
to eternal life. It is a book which
is full of wisdom and truth, and which
is the foundation of our faith and hope.



a. *Althaea bismalva dicta*. Guimauve. Eibisch.
 b. *Althaea rosea peregrina*.



a. *Althaea arborescens* Clusij. Baïem = Eibisch.
 b. *Althaea arborescens* glabra flore pur- pureo magno.

Althaus inbornen (wenn) Sinn
Althaus inbornen (wenn) Sinn



a. *Althaea arborescens*, glabra flore purpureo.
 b. *Althaea arborescens* glabra flore albo.
 c. *Althaea arborescens* flore pallido striato.



a. *Althæa Ægyptiaca*. Ambrette . Sifant Pappeln.
 b. *Althæa Theophrasti* flore luteo .



a. *Althæa folio petroselinii.*
 b. *Althæa folio ricini.*
 c. *Althæa frutescens bryonice foliis.*

Handwritten scribbles or marks.

Handwritten text at the bottom of the page, possibly a signature or date.





a. *Amaranthus linariae folio*.
 b. *Amaranthus Indicus panniculo viridi*.
 c. *Amaranthus Indicus panniculo flavescente*.
 d. *Amaranthus panniculo specioso*.
 e. *Amaranthus panniculo lato coccineo*.



Amaranthus panniculis coccineis latissimis.





Amaranthus baccifer circae folio.



a. Amaranthus seu Blitum rubrum majus, Imortel.
b. Amaranthus purpureus major.
c. Amaranthus flore saturate rubro.



Amaranthus caudatus. Sieber-Schwarz.

Handwritten text at the bottom of the page, possibly a signature or date, written in a cursive script.



Amaranthus purpureus. Bräuner Amaranth.

Herbarium of the University of Cambridge



Amaranthus major panniculis surrectis rubris .



a. *Amaranthus spicatus aureus lati folius.*
 b. *idem ruber.*

Handwritten text, likely bleed-through from the reverse side of the page. The text is mirrored and appears to read:

Handwritten text, likely bleed-through from the reverse side of the page. The text is mirrored and appears to read:



Amaranthus tricolor luteus ruber viridis. Caisend Schön.



Amaranthus tricolor viridis emulor.



Amaranthus tricolor luteus et viridis.

A. according to the letter of credit.



Handwritten text, likely bleed-through from the reverse side of the page. The text is mirrored and appears to be a list or index of names and titles, such as "The Countess of...", "The Countess of...", and "The Countess of...".



a. *Amaranthus globosus ruber.*

b. *Amaranthus globosus albus.*

6

in the morning of the 1st of June
the weather was very warm



Amaranthus Spica herbacea.

Ammonites Sp. 1000



a. *Ama-* *ranthus vulgaris sylvestris.*
 b. *Ammi pe-* *renne. Fenouil marin. Siebelsöhren.*

Handwritten text at the bottom of the page, likely bleed-through from the reverse side. The text is mirrored and includes the words "Handwritten" and "Text".



a. Ammi perenne folijs pictis. Bacile. Bacillen Araïf.
b. Ammi Syriacum. Ammeñ.

Handwritten text at the bottom of the page, likely bleed-through from the reverse side. The text is mirrored and appears to read: "The first of the year, 1800, was a very dry one, and the crops were much injured." and "The second of the year, 1800, was a very wet one, and the crops were much injured."



a. *Anomum Ethiopianum*. Mohren Künzel.
 b. *Anomum racemosum*. Anome Ingrappo.
 c. *Amygdalus dulcis*. Amandier. Mandelbaum.



a. *Amygdalus pumila*. Amandier petit. Klein Mandel Sträuch.
 b. *Amygdalus nana flore folioso*. Bitter Mandeln.
 c. *Amygdalus persica nana flore carneo pleno*. Amandier amaire.



Ambra liquida. Ambre liquide. Fließender Amber.



Anacardium . Anacardin . Elephanten Linn.



Anacardium caju dictum. Acajou ou Chateigne. Hieronymum.



a. *Anagallis vulgaris*. Mo-ron. Sünderdarm.
 b. *Anagallis flore rubro*. roshe Sünderdarm.
 c. *Anagallis rubra trifoliata*. Sünderbiss.
 d. *Anagallis lutea nemorum*.
 e. *Anagallis mas flore carneo*.
 f. *Anagallis terrestris flore carneo*.



a. *Anagallis aquatica minor angustifolia*.
 b. *Anagallis foemina flore caeruleo*.
 c. *Anagallis foemina tenuifolia flore caeruleo*.
 d. *Anagallis hispanica flore caeruleo*.
 e. *Anagyris foliis variegatis*.



a. *Anagyris major non foetida*. Ebenier. Bohnen Baum.
 b. *Anagyris vera foetida*. Bois puant. Stachelbaum.



Anagyris quinque foliata. Arbre quinte feuille.



Ananas folio sinuato.



Ananas folio angusto serrato.



Ananas folia latiore serrato. Anas Frücht.



Ananas corona multiplici.



Ananas brava . Ananas noble . Zuckerhüth .



Ananas sagittæ folio.



Anchusa foliis et floribus Echij.



Anemone sylvestris.



a. *Anemone sylvestris* flore pallido.
 b. *Anemone hortensis* flore rubro pleno.
 c. *Anemone hortensis* flore saturate rubro.



a. *Anemone hortensis* flore cæneo pleno.
 b. *Anemone* flore pallido pleno.
 c. *Anemone* flore variegato pleno.
 d. *Anemone* flore rubro pleno.



a. *Anemone hortensis semiplena flore variegato.*
 b. *Anemone plena variegata.*
 c. *Anemone flore pleno colore mixto.*
 d. *Anemone simplex flore pallido roseo.*



a. *Anemone hortensis* flore luteo et rubro variegato.
 b. *Anemone* flore pleno colore roseo variegato.
 c. *Anemone* flore pleno albo et roseo variegato.
 d. *Anemone monstrosa* flore herbaceo.



a. *Anemone hortensis* flore albo pleno.
 b. *Anemone simplex* flore rubro nigricante.
 c. *Anemone rubra* margine alba.
 d. *Anemone simplex* flore roseo.



a. *Anemone plena flore purpureo et albo mixto.*
 b. *Anemone hortensis flore rubro et albo striato pleno.*
 c. *Anemone lutea et rubra mixta.*



a. Anemone plena flore magno variegato.
b. Anemone plena flore rubro albis lineis striato.
c. Anemone semiplena flore albo et rubro mixto.
d. Anemone semiplena flore roseo.



Anemone flore rotundiore folio colore rubro et albo variegato
b. Anemone flore rotundiore folio colore rubro.
c. Anemone lutea et rubra mixta flore rotundiore folio
d. Anemone hortensis flore caeruleo pleno acutior folio.



Faint, illegible handwritten text at the bottom of the page, possibly a signature or a list of names.



a. Anemone aurea striis rubris notatis.
b. Anemone semiplena flore albo et pallido variegato.
c. Anemone lutea magna flore punctata.



a. Anemone lutea magno flore
Anemone simplex flore rubro striis albis notatis, anthera alba.
c. Anemone intus lutea extus rubra.



a. *Anethum*. Anet. Dille.
 b. *Anethum Pernambuccanum*.



Angelica sativa. Angelique. Angelick.



Angelica sylvestris, Angelique
sauvage. Wilde Angelik.
Angelica erratica, podagraria
dicta. Podagrano-Kraut.



Angelica flore luteo.



Angelica aquatica. Ache. Wasser. Angelick.



Angelica palustris vel *Sion*, Berle. Wasser Eryngy.



Angelica vel Sion aquaticum des Berles. Wassermerck.



Angelica lucida Canadensis.



a. *Angelica baccifera Canadensis*.
 b. Anime, Gomme anime. Wohlriechend Indianisch Gummi.
 c. Lobus et Semen Anime.



c. *Anonis lutea perennis*, seu *Natrix*, *Bugrane*. Et *Süßer*.



a. *Anonis purpurea spinis carens.* Deffenbrech.
 b. *Anonis non spinosa foliis pictis.*



a. *Anonis spinosa* flore albo. Stalkkraut.
 b. *Anonis non spinosa* flore albo.
Anonis seu *Ononis spinosa* flore rubro. Arreste boeuf. Saühechel.



b. *Anserina*, Argentine. Jénérich.
 b. *Anonymos lini folio*, seu *Herba cathartica*.
 c. *Anthyllis leguminosa*. Vulnèraire. Saasen. Klee.

d. *Anthyllis vesicaria*.



a. *Antirrhinum officinarum*, Musfle de veau. Dhranf.
 b. *Antirrhinum sylvestre album*, Oeuldechot. Kallsnasen.
 c. *Antirrhinum minus flore carneo*. Doranf.



a. *Antirrhinum majus*. L'œillet-mauve.
 b. *Antirrhinum majus* flore albo oris rubris.



a. *Antirrhinum majus* flore albo oris luteis.
 b. *Antirrhinum majus*, flore rubente.



a. *Aparine major seu rubia tinctorum*, Garance. Färberröthe.
 b. *Aparine sylvatica levis*.



a. Aparine aspera. Grateron. Alek. mit.
b. Aparine quadri folia minor.
c. Aparine levis stellata.



a. *Aparine major*, Reble. groß Klebkraut.
 b. *Aphyllantes globularis* Scabiosæ capitulo.



Apios Americana, Ischas. Erdhym.





Apium latifolium.
Celeri. Sellerie.

b. *Apium hortense majus.*
Sellerie.



Apocynum majus Syriacum. Houatte. Sündsköhl.



a. *Apocynum Virginianum* rectum novi Belgij.
Apocynum Curassavicum, fibrosa radice, floribus aurantiis.



a. *Apocynum erectum fruticosum*.
b. *Apocynum erectum Venetum*.



*Apocynum Indicum flore
lili convallii suave rubentis.
Apocynum sive Periploia scandens.*



a. *Apocynum Scammoneæ facie. Scammoneæ. Förgierwinde.*
 b. *Apocynum seu Fritillaria Crassa minor.*



Apocynum seu Fritillaria crassa monstrosa.



Apocynum seu Fritillaria Crassa major.



a. *Aquifolium* seu *Agrifolium*, Houx. Stechpalmen.
 b. *Aquifolium* foliis ex luteo et viridi variegatis.



*Aquifolium foliis ex albo
et viridi variegatis.*

*b. Aquifolium non spi-
nosum: Sülzen ohne Stachel.*



a. *Aquilegia vulgaris*. Gande de nostre Dame. Agelen.
 b. *Aquilegia hortensis* flore cæruleo. Acolie. Aglen.
 c. *Aquilegia florea* rubro. Rothe Aglen.



*Aquilegia castanei
coloris.*

*b. Aquilegia non
corniculata.*



a. *Aquilegia alba simplex*.
 b. *Aquilegia flore coccineo*.
 c. *Aquilegia caerulea plena*.



a. Aquilegia flore castaneo pleno.
Aquilegia flore castaneo et albo variegato.
Aquilegia flore albo et cœruleo variegato.



a. *Aquilegia* flore
rubro pleno.
b. *Aquilegia* flore ple,
no albo et caeruleo.

c. *Aquilegia* stellata flo,
re purpureo pleno.
d. *Aquilegia* flore
rubro n̄ corniculato.



Arbor Camphorifera.
Camphore.
Camphorifera
Japanica.

d. Arbor Thuifera.
Encens.
Weyrauchbaum.
c. Foliis Camphorifera Borneis.
sis.

4,50

4,00



Arbor Africana vesicularia.
Arbor vitæ, Arbore de
Paradys Madre.
Baum des Lebens.

c. Arbuscula Africana,
Ambrae odorem fundens.
d. Arbutus, Arbousier. Erdbeerbaum.



Aristolochia longa vera,
Aristolochie longue.
Lange Oster-Liceen.

b. Aristolochia Clematitis.





Aristolochia rotunda vera.
Aristolochie rotunde.
 Rind Oster-Licey.

b. Aristolochia longa vulgaris,
Aristolochie. Oster-Licey.
c. Aristolochia pistolochia di,
cta. Aristolochie petite.
 Klein Oster-Licey.



Anisarum Lobelyi.



a. *Armoracia* seu *Raphanus Rusticanus*, Raifort sauvage,
 Meerrettich.
 b. *Artemisia vulgaris*. Armoise. Senfich.



a. Artemisia picta.
Artemisia caule purpurascens, Herbe de St. Jean.
 Kother Senfisch.



a. *Arum vulgare majus*, pied de chien. Aron.
 b. *Arum vulgare minus*. Schirwurz.
 c. *Fructus Aronis*.



Arum maculatum ni-
 grum.
Arum Ægyptiacum,
 quod vulgo Colocassia,
 Fève d'Égypte.
 Ägyptischer Aron.

N. 174.



Arum Ethiopicum
flore albo odorato.
Mishren Aron.



rum Æthiopicum flore al,
tero, alteri innato.



a. *Arum hortense latifolium*, Magenswürk.
Arum polyphyllum, seu *Dracunculus major*, Serpentaire,
 Drachenwürk.



rum Hederaceum foliis

bisectis rigidis et scutatis.



Arum Hederaceum foliis

bisectis rigidis et scutatis.



Arundo Saccharifera, Canne de Sucre, Zucker-Rohr.
Coma Arundinis Sacchariferae, fleure à
 Canne de Sucre, Aehre von Zucker-Ried.



Arundo vulgaris, Canne
Rosaü, Rohr.

b. Arundo hortensis Hispanica, Cañe
d'Espagne, Spanischrohr.

c. Arundo
Sacconica
variegata.
Dünn gestreift =
tes Rohr.



a. *Arundo pratensis*.
Kieser-Rohr.

b. *Arundo pratensis*
variegata.
Gestreift Kieser-Rohr.
H.





Handwritten text, likely a title or description of the plant, written in a cursive script. The text is faint and difficult to decipher.

Handwritten text, likely a title or description of the plant, written in a cursive script. The text is faint and difficult to decipher.



a. *Thyrsus asparagi*.
 b. *Asparagus, Asperge. Spargel*.
 c. *Asparagus monstrosus*.



a. *Asparagus domesticus*, Asparagen.
Asparagus sive Corruda sylvestris Africana aculeata foliis pennes
avium referentibus B.



a. *Asphodelus albus ramosus.*
 b. *Asphodelus albus minor, Asphodele, Asphodille.*
 c. *Asphodelus luteus minor.*



Asphodelus albus folio iridis.
b. Asphodelus luteus major.



Asphodelus li-

liaceus flore luteo.



Aster angustifolius, Serot.,
Canadensis flore cœruleo.

b. Aster ramosus tenuifolius flore
 minore violaceo.



a. Aster flore Bellidis.

b. Aster luteus folio hirsuto salicis.



a. *Aster Novæ Belgicæ latifolius florib; dilute violaceis.*
 b. *Aster spinosus, seu Iacea spinosa Cretica.*



a. *Aster novæ Angliæ altissimus.*

b. *Aster flore purpureo violaceus, Espergoutte. Stern-Ernst.*



Aster altissimus flore luteo.

Aster virginianus angustifolius flore

albo.



Aster Atticus foliis circa florem
mollioribus.
Aster Montanus luteus salicis
glabro folio.



a. *Aster luteus lanuginosus*.
 b. *Aster Atticus caeruleus vulgaris*.



a. *Aster ramosus Canadensis* flore cœruleo.
 b. *Aster* flore chamomillæ.



a. *Aster angustifolius* flore albo spicato.
 b. *Aster autumnalis* purpurante flore.



a. *Asteroides Americana nodosa*.
 b. *Astragalus sylvestris* flore luteo pa-
 lente, *Astragale*, *K. Miller del.*



a. *Astragalus glaucus vulgaris.*
 b. *Astragalus luteus perennis.*



Astragalus sylvestris major.

*b. Astragalus annuus peregrinus,
vel serra Leguminosa.*



Astragalus leguminosus.

b. Astragalus siliqua curva.
Kleine Peltchen.



Atriplex folio sinuato,
Bonne Dame, Melde.
Atriplex angusto oblongo
folio cum folliculis.

c. Atriplex spuria folio triā,
gulari sinuato, et mucronato.
Mole Pen.



a. *Atriplex*, seu *Blitum polyspermon* dictum. Scheiff. Wille.
 b. *Atriplex sylvestris* folio oblongo angusto.



a. *Atriplex sylvestris angustifolia*.
 b. *Atriplex sylvestris folio sinuato*, Aroche Mist Moleken.



a. *Atriplex foetida*, seu *Vulvaria*, fœtete puante, Stinkende Melſen.
 b. *Atriplex pes anserinus* dicta, Bonne Dame, Gäns ſies Melſe.



Atriplex hortensis alba, pru des
 femmes, Weisse Moseken.
Atriplex hortensis rubra,
 rothe Moseken.



a. *Avena vulgaris alba*, Avoine, Haber.
 b. *Avena nigra*, Avoine noir, Schwarze. Haber.



Auricula muris,
oreille de Souris,
Maies-Ohrlein.

c. Auricula muris, seu pilo-
sella major erecta.

b. Auricula muris polyanthos repens.



Auricula ursi
Auricula ur,
 flore niveo,
 Klein Alp =
Auricula ursi
 Beer =

d. Auricula ursi caule alato flore purpureo farinaceo.

Borraginoides.
si minima
Oreille d'urse,
Sanicel.
flore albo,
Sanicel.



a. *Auricula ursi* flore rubro medio luteo.
 b. *Auricula ursi* flore rubro et luteo variegato.
 c. *Auricula ursi* flore purpureo pleno.
 d. *Auricula ursi* flore pallido foliis crenatis.



a. *Auricula ursi* flore luteo viridante.
 b. *Auricula ursi* flore rubro pulverulento.
 c. *Auricula ursi* polyanthos flore rubro et luteo variegato.
 d. *Auricula ursi* flore stellato ex rubro et luteo mixto.



a. *Auricula ursi* Colore mixto .
 b. *Auricula ursi* flore pallido striis luteis variegatis.
 c. *Auricula ursi* flore magno ex rubro et viridi mixto.
 d. *Auricula ursi* periantheo foliaceo flore variegato.



Auricularum ursi variorum Colorum Species.



Auricularum ursi variorum Colorum Species.



Auricularium ursi variorum Colorum Species.



Auricularium ursi variorum Colorum Species.



Auricularum ursi variorum Colorum Species.



Auricularum ursi variorum Colorum Species.



Azadirach, arbor fraxinifolia Wilder Mandelbeer Baum.



Balsamina foemina flore elegantissimo rubente, Merveille.
Balsam. Kraut Weiblein.
b. Balsamina foemina flore albo, Merveille blanc.



a. *Balsamina foemina* flore purpureo.
 b. *Balsamina foemina* flore pallido.



a. *Balsamina foemina* flore rubro.
 b. *Balsamina foemina* flore albo et ru-
 bro variegato.



Balsamina foemina flore variegato pleno.



Balsamina fernuna flore pleno colore mixto.




Balsami Veri de Meccha arbuscula, Beaume de Syrie. Opo-Balsam.



Balsami Co=
 rpa arbuscula,
 aume de Perou
 inc, Weiser India=
 nischer Balsam.

b. Balsami occidentalis arbuscula,
 Occidentaliſcher Balsam.



Balsami Peruviani arbuscula,
Beauune de Peru noir
Schwarzer Indischer Balsam.

b. Balsami Tolutani arbuscula, *Beauune de Tolu.*
Balsam von Tolu.

N. 226.



Bambus
Bambou
Bambús
Kief.



Banana. 1. Musa, Dudaim, Paradis-Feigen.



Bañana. 2.
Mauze.
Paradis-Feigen.





a. Banana Regime, des Figues.
 b. Barba Capræ, Barbe de Bouc, Soeks-Barf.



a. *Barba Jovis*, Silberbüsch.
 b. *Barbarea*, l'Herbe de S. Barbe, Scharbellenkraut.



a. *Bardana major vulgaris*, Gletteron, Kleffen.
 b. *Bardana major serratifolia*.



Baridana major folio non serrato,
Napoliere, Große Kleeven.

b. Bdellifera arbor,
de qua Gummi Bdellium.



a. *Beccabunga*, Laver, Bachbüngen.
 b. *Beccabunga major*, Wasserbüngen.



a. *Beccabunga angustifolia* major, Wasser-Gaißheil.
b. *Beccabunga minor* folio oblongo.



a. *Bella dona*, *Morella marine*, Schöne Frucht.
 b. *Belle vedere*, seu *linaria scoparia*, Studenten-Arzt.



a. *Bellis sylvestris* minor caule ca-
 b. *Bellis sylvestris* flore incarnato,
 c. *Bellis sylvestris* flore variegato,
 d. *Bellis hortensis* flore rubro pleno,
 e. *Bellis hortensis* flore pleno prolifero.



- a. *Bellis minor*
 flore albo pleno
 serratifolia.
 b. *Bellis hortensis* flore
 pleno albo folio non serrato.
 c. *Bellis hortensis minor* flore rubro pleno folio sinuato.
 d. *Bellis rarior* foliolis florum discum ambientibus fistulosis.
 e. *Bellis Africana* capitulo aphyllis luteo.



a. *Bellis coerulea*
 b. *Bellis major folio si-*
 c. *Bellis major pratensis flore albo.* *Bellis* *Thig.*
 d. *Bellis major flore albo fistuloso.*

seu globularia.
nuato hirsuto.





a. Ben, glans unguent,
Ben Nüsse.
b. Benzoiniferum folium, Benjoin.
c. Berberis, Espine vineti, Weinleghin.



Beta rubra vulgaris, Poirée rouge, Rother Mangold.



Beta alba, *Poirée blanc*. Weisser Mangold.



Faint, illegible handwritten text at the bottom of the page, possibly a signature or date.





Betula, Bouleau, Birkenbaum.
Bistorta Alpina minima,
 Schlammwurz.

Bistorta major
vulgaris,
 Statterwurz.



a. *Bistorta major* radice intorta, Krebs-Wurk.
 b. *Bistorta media* folio minus rugoso, Wurm-Wurk.
 c. *Blattaria perennis verbasci* folio flore luteo amplo, Bouillon petite, Schabekraut.
 d. *Blattaria perennis verbasci* folio flore purpureo.



a. *Blattia perennis verbasci*
folio flore albo.

b. *Blattia spuria spicata rubra*,
Lysimachie, Weiderich.

c. *Blattia palustris*, *Lysimachie*.
Gaune, Gelber Weiderich.



a. *Bluttaria lutea major*, *Lysimachie grande*, Großer gelber Weiderich.
 b. *Bluttaria lutea bifoliata*.



a. *Blattaria lutea trifoliata*.
b. *Blattaria lysimachia virginiana*.



Blattia

lutea quadrifoliata.



a. *Blitum poly* =
spermon dictum.

b. *Blitum, bonus Henricus. Stoller Henrich.*

c. *Blitum, bonus
Henricus foliis
pictis, Bletto,
Stoller Henrich.*



a. *Blitum*, bonus Henricus foliis glabris, Schmerbel.
 b. *Blitum rubrum* sylvestre minus.



Blitum album minus,
Süds. Messen.
Blitum africanum, Blete.

Indi, *c. Blitum monospermon*
cū aculeatū, Blette espinouse.
Stachlicher Meyer.



Borrago Hispanica =
ca semper virens.
 Vergio nennt nicht.

b. Borrago floribunda, coeruleis, Bourachie, Borragen.
c. Borrago flore albo. Borretsch.



a. *Borrago Cretica*, Candishher Borragen.
 b. *Borrago angustifolia*
 c. *Borrago verrucosa minor*, Winter-Borresseh.



a. *Botrys vulgaris*, Pimente, Traubenkraut.
 b. *Botrys Ambrosioides Mexicana*, Türkischer Senf.



Brassica cauliflora, Chou fleur,
Käse-Kohl.



Brassica capitata alba, Chou blond, Weißer Kopf-Kohl.



Brassica capitata rubra, Chou cabu rouge, Nothher Kappis.



a. *Brassica capitata*,
Jesfreißer
b. *Brassica capitata*

ta purpurea et alba, Chou cabu.
Kopff-Kohl.
cum flore, Blühender Kopff-Kohl.



Brassica alba vel viridis, Chou Pomme, Kürsch.



Brassica alba Crispa, Chou frise blanc, Savoischer Kräuss-Kohl.

Handwritten text at the bottom of the page, likely bleed-through from the reverse side. The text is mirrored and appears to read: "The first of the month of the year 1800".



a. *Brassica crambifolia*
b. *Brassica crispera*

be dicta foliis crispis, Kraut-Kohl.
foliis pictis, Dänischer Kraut-Kohl.



Brassica Rapocaulis

dicta, Rüben-Kohl.



Brassica caulorapa prolifera, Kohlrüben mit Sieben-Schößl.



a. *Brassica virescens*, Grüner Kohl.
 b. *Brassica campestris perfoliata*, Wilder durchwachser Kohl.
 c. *Brassica alba vel viridis variegata*.



a. *Brassica Neapolitana*,
Broccoli di Napoli, Spargel-Kohl.

b. *Brassica tuberosa*, na,
pobrasica, Rüben-Kohl Dorschen.



a. *Brassica sylvestris turritis*.
 b. *Brassica sylvestris ramosa maxima tota glabra*. x.



a. *Brunella vulgaris*, Herbe au serpentier, Goffheil.
 b. *Brunella major non disecta*. Brunelle. St. Antoni Kraut.
 c. *Brunella magno flore angustifolia*, Brünnellen mit große blüme.
 d. *Brunella folio laciniato flore rubro*.
 e. *Brunella laciniata flore albo*.



a. *Bryonia alba*; Caulevree, Sämrüben.
 b. *Bryonia Africana* glabra foliis profunde sectis tenuioribus.
 Africaniſche Sichtenrübel.



a. *Bryonia sideritidis* folio flore caeruleo. B.

b. *Bryonia Ceylanica* foliis profunde laciniatis, Stief-Mürh aus Ceylon.



a. *Buglossum angustifolium* flore albo.
 b. *Buglossum vulgare*, Buglosse, Ochsenzungen.
 c. *Buglossum vulgare* flore albo, Ochsenzungen mit weißen blümen.



a. *Buglossum vulgare magno flore*.
 b. *Buglossum folio borraginis*.
 c. *Buglossum creticum flore purpurascete*.
 d. *Buglossum Anchusa minor*.



a. *Bulbocastanum*, Fau.
erottes au Terre Noix.
Erd-Castanien.

b. *Bulbocastanum* seu *Myrrhis*
annua tuberosa.
Cerveil musque, Wilder Körbel.

c. *Bulbus ca* „
pensis, incolis
Haro dictus. B.

d. *Bupleurum*, Perce feuille, Hasen-Öhrlein.



a. *Bursa pastoris minima.*

b. *Bursa pastoris minor.*

c. *Bursa pastoris serratifolia.*

d. *Bursa pastoris major, Burse de Berger, Hirten Täscher.*

e. *Bursa pastoris monstrosa major,*

f. *Bursa pastoris minor foliis integris et multicaulis.*

g. *Bursa pastoris minor folio sinuato, Täscherkraut.*

Tabouret.



a. *Buxus*, Buys, Buxbaum.
 b. *Buxus foliis pictis rotundioribus*, Buxbaum mit runden hinteren Blättern.

c. *Buxus major foliis pictis*, Buxbaum mit langlichten hinteren Blättern.
 d. *Buxus foliis argenteis variegatis*, Weißer hinterer Buxbaum.



